

Pressure-Pro®

DISTRIBUÉ PAR / DISTRIBUTED BY:



11365, 57e Avenue
Montréal (Québec)
H1E 4K1

Tél.: 514-494-5000
Sans frais 1-877-494-5001
Courriel: lp2000@bellnet.ca
Site Web : www.lp2000ehp.com

Equipment Catalog & Price List



HOT & COLD WATER PRESSURE WASHERS

Direct Drive • Gear Drive • Belt Drive


Electric, Gas, & Diesel Powered

Regardless of your cleaning needs, we have the RIGHT EQUIPMENT!

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRESSURE-PRO[®], INC.



PRESSURE WASHERS TABLE OF CONTENTS

COLD WATER MACHINES

PRO POWER SERIES

GAS DIRECT DRIVE2-3

EAGLE SERIES

GAS DIRECT DRIVE4-5

EAGLE SERIES

GAS V-BELT DRIVE..... 6-7

PRO SERIES

GAS V-BELT DRIVE8-9

EAGLE SERIES

DIESEL DIRECT DRIVE, DIESEL V-BELT DRIVE. 10

GAS GEAR DRIVE..... 11

EAGLE SERIES

ELECTRIC HAND CARRY DIRECT DRIVE 12

ELECTRIC WALL MOUNT DIRECT DRIVE..... 13

EAGLE SERIES

ELECTRIC DIRECT DRIVE & 14-15

EAGLE SERIES

ELECTRIC V-BELT DRIVE.....16-17

PRO-MAX SERIES

GAS POLYCHAIN BELT DRIVE.....18-19

PRO-MAX HP SERIES

GAS POLYCHAIN BELT DRIVE HP..... 20-21

PRO-MAX SERIES

ELECTRIC POLYCHAIN BELT DRIVE..... 22-23

PRO-MAX HP SERIES

ELECTRIC POLYCHAIN BELT DRIVE HP ... 24-25

HDC GAS SERIES

HEAVY-DUTY GAS V-BELT DRIVE 26

HEAVY-DUTY GAS POLYCHAIN BELT DRIVE... 27

HDC DIESEL SERIES

2 & 3 CYLINDER WATER COOLED 28

HOT WATER MACHINES

HOT SHOT SERIES

2 WHEEL ELECTRIC DIRECT DRIVE 29

4 WHEEL ELECTRIC DIRECT DRIVE 30

4 WHEEL ELECTRIC V-BELT DRIVE 31

4 WHEEL ELECTRIC HOT2GO HV SERIES 32

4 WHEEL GAS HOT2GO SH SERIES 33

4 WHEEL GAS DIRECT & V-BELT DRIVE 34

4 WHEEL DIESEL DIRECT & V-BELT DRIVE 35

SKID SERIES

PRO-SUPER SKID 12V GAS V-BELT DRIVE 36

PRO-SUPER SKID W/ 115V GENERATOR 37

HOT2GO SK SKID 12V GAS 38

PRO-SUPER SKID DIESEL V-BELT DRIVE 39

PRO-SGF SERIES

STATIONARY LP/NG GAS FIRED V-BELT
DRIVE ELECTRIC 40-41

TRAILERS/TANK SKIDS

PRO-SKID SERIES

MODULAR TANK FEED.....42-43

PRO-ATV SERIES

MODULAR TANK FEED..... 44-45

HD COMMERCIAL TOW-PRO TRAILERS

GAS V-BELT DRIVE & POLYCHAIN DRIVE .. 46-47

HDC TOW-PRO-JET TRAILERS

GAS V-BELT DRIVE & POLYCHAIN DRIVE .. 48-49

HOT SHOT TOW-PRO TRAILERS

GAS & DIESEL 12V DIRECT DRIVE 50-51

PRO-SUPER SKID TOW-PRO TRAILERS

GAS 12V V-BELT DRIVE 52

GAS 115V V-BELT DRIVE 53

HOT2GO TRAILERS & TANK SKIDS

TRAILERS & WATER TANK PACKAGES 54

SPECIALTY ITEMS

HOT WATER GENERATORS

HOT LINK HOT WATER GENERATOR..... 55

HOT BOX VERTICAL STATIONARY..... 56

HOT BOX HORIZONTAL & HOT BOX PORTABLE . 57

PRO-JET SERIES

DRAIN CLEANERS 58

PRO-TEST SERIES

HYDROSTATIC LINE TESTERS 59

PRO-CHEM SERIES

SOFT WASH SPRAY SYSTEMS 60

HYDRO VACUUMS

WASTEWATER & FLOOD RECOVERY..... 61

LIMITED WARRANTY 62

POLICIES..... **INSIDE BACK COVER**

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO POWER SERIES



PPS2630HGI



PPS2527KAI

PRO POWER MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
PPS2527HAI	2.5	2700	GC190 Honda	AR RMV-A/Int UL	\$1,038.06
PPS2527KAI	2.5	2700	SH265 Kohler	AR RMV-A/Int UL	\$856.43
PPS2530HAI	2.5	3000	GC190 Honda	AR RMV-B/Int UL	\$1,130.98
PPS3030HCI	3.0	3000	GC190 Honda	CAT 4PPX/Int UL	\$1,434.06
PPS3030KCI	3.0	3000	SH265 Kohler	CAT 4PPX/Int UL	\$1,251.36
PPS2533HAI	2.5	3300	GX200 Honda	AR RMV-B/Int UL	\$1,309.45
PPS2533KAI	2.5	3300	SH265 Kohler	AR RMV-B/Int UL	\$920.84
PPS2533HCI	2.5	3300	GX200 Honda	CAT 4PPX/Int UL	\$1,629.42

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown on all models except Honda GC
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Honda GC, GX & Kohler SH Series engines are 50 state approved
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All models meet or exceed PWMA standards of +/- 10%.

514-494-5000 / 1-877-494-5001

PRO POWER SERIES



PPS4042HCI

SKID MOUNT



S/PPS4042HGI

STANDARD ACCESSORIES

- Gun/wand assembly
- 25' hose w/ couplers*
- Chemical injector
- 3 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

***NOTE:** 2700-3300 PSI models include 22mm twist coupler socket hose ends; 4200 PSI models include 22mm twist socket x 3/8" QC plug hose ends.

AVAILABLE OPTIONS ALL MODELS:

Skid Mount - precede model with S/
Example: S/PPS4042LAI.

50' Hose Upgrade - add -50 suffix to model,
Example: PPS2533HAI-50 List: \$57.68

AVAILABLE OPTION SH265, GC190, & GX200 ENGINE MODELS ONLY:

UPS-Shipping Carton: No Extra Charge

Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly. Order standard model and add UPS suffix after model.
Example: PPS2533HAI-UPS

NOTE: UPS models require minor assembly.

PRO POWER MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
PPS4042HAI	4.0	4200	GX390 Honda	AR RSV/Int UL	\$2,287.31
PPS4042HCI	4.0	4200	GX390 Honda	CAT 67DX/Int UL	\$2,606.22
PPS4042HGI	4.0	4200	GX390 Honda	GP TX/Int UL	\$2,367.57
PPS4042HG	4.0	4200	GX390 Honda	HP PEP	\$2,504.85

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

EAGLE SERIES



E3027HA



E3027HC

GAS ENGINE DIRECT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
E3027HV	3.0	2700	GX200 Honda	Viper	\$1,842.74
E3027HC	3.0	2700	GX200 Honda	CAT/Int UL	\$1,814.22
E3027HG	3.0	2700	GX200 Honda	GP	\$1,898.70
E3027KV	3.0	2700	SH265 Kohler	Viper	\$1,475.73
E2530HGI	2.5	3000	GX200 Honda	GP/Int UL	\$1,789.31
E3030HCI	3.0	3000	GX200 Honda	Cat/Int UL	\$1,814.22
E3032HA	3.0	3200	GX270 Honda	AR	\$2,235.57
E3032HC	3.0	3200	GX270 Honda	CAT/Int UL	\$2,505.91
E3032HG	3.0	3200	GX270 Honda	GP	\$2,387.63
E3032HV	3.0	3200	GX270 Honda	Viper	\$2,301.32

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

514-494-5000 / 1-877-494-5001

EAGLE SERIES



E4040HG



SKID MOUNT



S/E4040HA

**AVAILABLE OPTIONS:
ALL MODELS**

Skid Mount - precede model with S/
Example: S/E4040HG

NOTE: GX270 & Larger Units Come with Power Coated Steel Skid.

**AVAILABLE OPTIONS:
GX390 MODELS ONLY**

Electric Start upgrade option:
Available on GX390 Hondas only. All electric start models include battery and marine battery box. List: \$751.90
Order standard model and add E suffix after model. Example: E4040HGE

Block Mounted K7 Unloader.
3500 psi max. List: \$304.08

**AVAILABLE OPTIONS:
E3024 & E3027 MODELS**

UPS-Shipping Carton: No Extra Charge
Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly. Order standard model and add UPS suffix after model. Example: E3027HA-UPS

NOTE: UPS models require minor assembly.

GAS ENGINE DIRECT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
E4035HA	4.0	3500	GX390 Honda	AR	\$2,541.56
E4035HG	4.0	3500	GX390 Honda	GP	\$2,691.57
E4040HA	4.0	4000	GX390 Honda	AR	\$2,474.23
E4040HAI	4.0	4000	GX390 Honda	AR/Int UL	\$2,388.69
E4040HC	4.0	4000	GX390 Honda	CAT	\$3,059.25
E4040HG	4.0	4000	GX390 Honda	GP	\$2,593.55
E4040HGI	4.0	4000	GX390 Honda	GP/Int UL	\$2,474.23
E4040HGP	4.0	4000	GX390 Honda	GP-PEP	\$2,533.37
E4042HCI	4.0	4200	GX390 Honda	Cat/Int UL	\$2,713.94
E4042HV	4.0	4200	GX390 Honda	Viper	\$2,474.23
E4042KV	4.0	4200	CH440 Kohler	Viper	\$2,019.14

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

EAGLE SERIES



EB4040HC



EB3025HG

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access single bolt interlocking belt cover
- Single bolt engine adjustable belt tension
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade engines

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

GAS ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
EB3025HA	3.0	2500	GX200 Honda	AR	\$2,383.41
EB3025HC	3.0	2500	GX200 Honda	CAT	\$3,326.42
EB3025HG	3.0	2500	GX200 Honda	GP	\$2,593.55

514-494-5000 / 1-877-494-5001

EAGLE SERIES



S/EB4040HG



EB4042HV

AVAILABLE OPTIONS: ALL MODELS

Powder Coated Steel Skid Mount - precede model with S/
Example: S/EB4040HG

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. All electric start models include battery and marine battery box. List: \$756.40
Order standard model and add E suffix after model. Example: E4040HGE

Block Mounted K7 Unloader.
3500 psi max. List: \$304.08

GAS ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
EB4035HA	4.0	3500	GX390 Honda	AR	\$3,251.42
EB4035HC	4.0	3500	GX390 Honda	CAT	\$3,587.26
EB4035HG	4.0	3500	GX390 Honda	HP	\$3,323.26
EB4040HA	4.0	4000	GX390 Honda	AR	\$3,157.46
EB4040HC	4.0	4000	GX390 Honda	CAT	\$3,584.08
EB4040HG	4.0	4000	GX390 Honda	HP	\$3,347.54
EB4042HV	4.0	4200	GX390 Honda	Viper	\$3,157.46

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO SERIES



STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
 - Lifetime frame warranty
 - Easy access single bolt interlocking belt cover
 - Single bolt engine adjustable belt tension
 - 50 mesh inlet filter – *excludes 8 GPM units
 - EZ-Start
 - Adjustable pressure unloader
 - Low oil shutdown except GX690 & Vanguard models
 - Engine and pump oil drains offer easy maintenance
 - Oversize pneumatic tires
 - Dual padded shock absorbing feet
 - 3/4" cold-rolled steel threaded axle
 - 3VX belt system offers balanced power transfer
 - Commercial/Industrial grade engines
 - Low speed pump and thermo-sensor (prevents overheating in bypass mode)
 - Remote 6 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
 - All units feature electric start and include battery & marine battery box
- NOTE:** *8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

GAS ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
VB8030HAEA406	8.0	3000	GX630 Honda	AR	\$7,765.63
VB8030HGEA406	8.0	3000	GX630 Honda	GP	\$7,948.49
VB5535VGEA411	5.5	3500	18 HP Vanguard	HP	\$6,428.26
VB5535HGEA411	5.5	3500	GX630 Honda	HP	\$7,159.70
VB8035HAEA406	8.0	3500	GX690 Honda	AR	\$8,421.33
VB8035HGEA406	8.0	3500	GX690 Honda	GP	\$8,616.09
VB5040HAEA411	5.0	4000	GX630 Honda	AR	\$6,936.80

514-494-5000 / 1-877-494-5001

PRO SERIES



VB5550HGEA510



VB4560HGEA600

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, and 6000 PSI models. (See Available Options)

AVAILABLE OPTIONS:

Powder Coated Steel Skid Mount -
Precede model with S/
Example: S/VB5540HGEA311

ACI5000 5000 PSI Chemical Injector
Assembly. List: \$139.29

ACI6000 6000 PSI Chemical Injector
Assembly. List: \$234.38

Block Mounted K7 Unloader.
3500 psi max. List: \$307.03

CCK006 Remote 6 Gal. Poly Fuel
Tank w/ Carbon Canister- California
Compliant Upgrade. List: \$91.93

GAS ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
VB5540HAEA409	5.5	4000	GX630 Honda	AR	\$7,839.21
VB5540HGEA411	5.5	4000	GX630 Honda	GP	\$8,072.92
VB4550HAEA510	4.5	5000	GX630 Honda	AR	\$8,721.88
VB4550HCEA510	4.5	5000	GX630 Honda	CAT	\$11,549.06
VB4550HGEA510	4.5	5000	GX630 Honda	GP	\$8,533.86
VB5550HAEA510	5.5	5000	GX690 Honda	AR	\$8,629.03
VB5550HGEA510	5.5	5000	GX690 Honda	GP	\$9,146.28
VB4560HGEA600	4.5	6000	GX690 Honda	GP	\$11,875.60

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

EAGLE SERIES

DIESEL ENGINE DIRECT DRIVE



Conseil-Vente-Service
514-494-5000 / 1-877-494-5001



E4032KLDGE



EB4032KLDG

DIESEL ENGINE V-BELT DRIVE

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access single bolt interlocking belt cover - belt drives models only
- Single bolt engine adjustable belt tension - belt drives models only
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

DIESEL ENGINE DIRECT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
E4032KLDG	4.0	3200	KD440 Kohler	GP	\$6,794.16
E4032KLDGE	4.0	3200	KD440ES Kohler	GP	\$8,207.34


DIESEL ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
EB4032KLDG	4.0	3200	KD440 Kohler	GP	\$7,881.53
EB4032KLDGE	4.0	3200	KD440ES Kohler	GP	\$9,318.95


514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

EAGLE SERIES



EG4035HCP



EG4040HA

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - precede model with S/
Example: S/E4032KLDG

NOTE: GX270 and larger gas skid units & diesel skid units include powder coated steel skid with four rubber feet.

Block Mounted K7 Unloader.
3500 psi max. List: \$304.08

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric start upgrade option:
Available on GX390 Hondas only.
*All electric start models include battery and marine battery box.
List: \$756.40 Order standard model and add E suffix after model.
Example: E4040HGE


GAS ENGINE GEAR DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
EG3020HCP	3.0	2000	GX200 Honda	CAT	\$3,175.23
EG4035HCP	4.0	3500	GX390 Honda	CAT	\$3,904.16
EG4040HCP	4.0	4000	GX390 Honda	CAT	\$3,904.16
EG4040HG	4.0	4000	GX390 Honda	HP	\$3,545.41

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

EAGLE SERIES



HC/EE2015G



HC/EE2015V

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with lifetime warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- Includes GFCI w/35' cord w/plug

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

ELECTRIC HAND CARRY DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
HC/EE3010G	3.0	1000	2.0	115V/1PH/18A	GP	\$1,800.26
HC/EE2012G	2.0	1200	1.5	115V/1PH/13A	GP	\$1,744.27
HC/EE2015G	2.0	1500	2.0	115V/1PH/18A	GP	\$1,794.88
HC/EE2015V	2.0	1500	2.0	115V/1PH/18A	Viper	\$1,727.11

514-494-5000 / 1-877-494-5001

EAGLE SERIES



WM/EE4020G
w/ Auto Start/Stop Option



Conseil-Vente-Service
514-494-5000 / 1-877-494-5001



WM/EE2015G

AVAILABLE OPTIONS: ALL MODELS

UPS-Shipping Carton: No Extra Charge Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

Order standard model and add UPS suffix after model.

Example: HC/EE3010G-UPS

*Auto Start/Stop (115V) List: \$512.44

*Auto Start/Stop (230V) List: \$724.41

(UPS shipping not available for Auto Start/Stop (115V) and (230V))

NOTE: Only 1.5 HP, 2 HP and 3 HP models can ship UPS and require minor assembly.

ELECTRIC WALL MOUNT DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
WM/EE3010G	3.0	1000	2.0	115V/1PH/18A	GP	\$1,876.27
WM/EE2015G	2.0	1500	2.0	115V/1PH/18A	GP	\$1,851.94
WM/EE3015G	3.0	1500	3.0	230V/1PH/12A	GP	\$2,242.80
WM/EE4020A	4.0	2000	6.0	230V/1PH/26A	AR	\$3,786.06
WM/EE4020G	4.0	2000	6.0	230V/1PH/26A	GP	\$3,888.01

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

EAGLE SERIES



EE4020A
w/ Auto Start/Stop Option



EE2015G

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- Includes GFCI w/35' cord w/plug

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

ELECTRIC DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
EE3010G	3.0	1000	2.0	115V/1PH/18A	GP	\$1,899.97
EE2012G	2.0	1200	1.5	115V/1PH/13A	GP	\$1,858.57
EE2015A	2.0	1500	2.0	115V/1PH/18A	AR	\$1,917.71
EE2015G	2.0	1500	2.0	115V/1PH/18A	GP	\$1,908.21
EE2015V	2.0	1500	2.0	115V/1PH/18A	Viper	\$1,824.65
EE3015G	3.0	1500	3.0	230V/1PH/12A	GP	\$2,356.76
EE4020G	4.0	2000	6.0	230V/1PH/26A	GP	\$4,031.93
EE5520A	5.5	2000	7.5	230V/1PH/35A	AR	\$4,351.52

514-494-5000 / 1-877-494-5001

EAGLE SERIES



EE3030A



SKID MOUNT

S/EE3530G

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - Precede model with S/

Example: S/EE3035A

NOTE: 5HP & Larger Units Come with Power Coated Steel Skid.

Block Mounted K7 Unloader.
3500 psi max. List: \$304.08

*Auto Start/Stop (115V) List: \$512.44

*Auto Start/Stop (230V) List: \$724.41

(UPS shipping not available for Auto Start/Stop (115V) and (230V))

UPS-Shipping Carton: No Extra Charge

Includes: Specially designed protective carton and contractor grade two piece gun-wand assembly.

Order standard model and add UPS suffix after model. Example: EE3015G-UPS

NOTE: Only 1.5 HP, 2 HP and 3 HP cart models can ship UPS and require minor assembly.

ELECTRIC DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
EE3030A	3.0	3000	6.0	230V/1PH/26A	AR	\$3,865.40
EE3530A	3.5	3000	7.5	230V/1PH/35A	AR	\$4,808.60
EE3530G	3.5	3000	7.5	230V/1PH/35A	GP	\$4,472.66
EE4030A	4.0	3000	7.5	230V/1PH/35A	AR	\$4,672.93
EE3035A	3.0	3500	7.5	230V/1PH/35A	AR	\$4,582.49
EE4035A	4.0	3500	10.0	230V/1PH/44A	AR	\$5,093.93
EE3540A	3.5	4000	10.0	230V/1PH/44A	AR	\$5,201.60
EE7020A	7.0	2000	10.0	230V/1PH/44A	AR	\$5,264.05

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

EAGLE SERIES



EB4030E1G402



EB4020E3CP402

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Choice of reliable AR, Cat and General pumps
- 3VX belt system offers balanced power transfer
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Heavy duty motor controls in NEMA enclosure w/35' GFCI cord and plug

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

ELECTRIC V-BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
EB4020E3G402	4.0	2000	5.0	230V/3PH/12A	GP	\$5,292.14
EB4030E1G402	4.0	3000	7.5	230V/1PH/33A	GP	\$5,801.77
EB4030E3A402	4.0	3000	7.5	230V/3PH/17A	AR	\$5,141.74
EB4030E3CP402	4.0	3000	7.5	230V/3PH/17A	CAT	\$5,715.21
EB4030E3G402	4.0	3000	7.5	230V/3PH/17A	GP	\$5,419.10

514-494-5000 / 1-877-494-5001

EAGLE SERIES



**EB4035E1G074
with Block Mounted
K7 Unloader Option**

AVAILABLE OPTIONS: ALL MODELS

Powder Coated Steel Skid Mount -
Precede model with S/
Example: S/EB4035E3G402

Block Mounted K7 Unloader.
3500 psi max. List: \$304.08

*Auto Start/Stop (230V).
List: \$724.41

*Auto Start/Stop w/time
delay-consult factory

*460V available – consult factory

***NOTE:** Review specs for models
with Auto Start/Stop options as
these units are custom made and
**NONCANCELABLE
& NONRETURNABLE**

ELECTRIC V-BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
EB4035E3CP402	4.0	3500	10.0	230V/3PH/23A	CAT	\$6,154.51
EB4035E3G402	4.0	3500	10.0	230V/3PH/23A	GP	\$5,878.60
EB3540E1A402	3.5	4000	10.0	230V/1PH/40A	AR	\$5,922.97
EB3540E3A402	3.5	4000	10.0	230V/3PH/23A	AR	\$5,657.85

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-MAX SERIES



B4035HCP407

SKID MOUNT



S/B1228KGEA105

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (2 year warranty)
- 50 mesh inlet water filter – *excludes 8 thru 15 GPM units
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown except GX690 models
- Engine oil drain offers easy maintenance
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)

NOTE: *8 thru 15 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

GAS ENGINE POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
B1228KGEA105	12.0	2800	CH750 Kohler*	GP	\$12,807.91
B1030KGEA390	10.8	3000	CH750 Kohler*	GP	\$11,859.53
B4035HCP407	4.0	3500	GX390 Honda	CAT	\$4,648.65

514-494-5000 / 1-877-494-5001

PRO-MAX SERIES



B5535HGEA403

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

***NOTE:** Electric start is standard on V-Twin engine models and include battery, marine battery box, and remote 6 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B5540HAEA309

Block Mounted K7 Unloader.
3500 psi max. List: \$304.08

CCK006 Remote 6 Gal. Poly Fuel Tank
w/ Carbon Canister- California
Compliant Upgrade. List: \$91.93

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. *All
electric start models include battery
and marine battery box. List: \$756.40
Order standard model and add
E suffix after model. Example:
E4040HGE



Conseil-Vente-Service
514-494-5000 / 1-877-494-5001



POLYCHAIN DRIVE

GAS ENGINE POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
B5535HGEA403	5.5	3500	GX630 Honda*	HP	\$7,659.89
B8035HGEA406	8.0	3500	GX690 Honda*	GP	\$9,021.90
B4040HG403	4.0	4000	GX390 Honda	HP	\$4,281.09
B5540HGEA403	5.5	4000	GX630 Honda*	GP	\$8,590.04

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-MAX HP SERIES



B4550HGEA511

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (2 year warranty)
- 50 mesh inlet water filter
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown except GX690 models
- Engine oil drain offers easy maintenance
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- Remote 6 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- All units feature electric start and include battery & marine battery box

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

GAS ENGINE POLYCHAIN BELT DRIVE HP MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
B4550HAEA511	4.5	5000	GX630 Honda	AR	\$9,239.44
B4550HGEA511	4.5	5000	GX630 Honda	GP	\$9,126.92
B5550HGEA511	5.5	5000	GX690 Honda	GP	\$9,650.94

514-494-5000 / 1-877-494-5001

PRO-MAX HP SERIES



B4070HGEA700

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B4550HGEA511

ACI5000 5000 PSI Chemical Injector Assembly. List: \$137.95

ACI6000 6000 PSI Chemical Injector Assembly. List: \$232.12

CCK006 Remote 6 Gal. Poly Fuel Tank w/ Carbon Canister- California Compliant Upgrade. List: \$91.93


GAS ENGINE POLYCHAIN BELT DRIVE HP MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
B4560HGEA600	4.5	6000	GX690 Honda	GP	\$12,827.20
B4070HAEA700	4.0	7000	GX690 Honda	AR	\$13,971.68
B4070HGEA700	4.0	7000	GX690 Honda	GP	\$13,528.03
B6070KAEA700	6.0	7000	CH1000 Kohler	AR	\$20,939.30

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-MAX SERIES



B4030E1CP407

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
 - Lifetime frame warranty
 - Easy access tip holder/gun holder/hose hanger on handle
 - Epoxy powder coated finish
 - 10,000 hour rated Gates polychain cogged belt (two year warranty)
 - 50 mesh inlet water filter
 - Adjustable pressure unloader
 - Oversize pneumatic tires
 - Dual spring cushioned shock absorbing feet
 - 3/4" cold-rolled steel threaded axle
 - Low speed pump and thermo-sensor (prevents overheating in bypass mode)
 - TEFC Commercial/Industrial motors
 - Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/35' GFCI cord and plug
- NOTE:** 8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
B4020E1G403	4.0	2000	5.0	230V/1PH/25A	GP	\$5,636.59
B4020E3A403	4.0	2000	5.0	230V/3PH/12A	AR	\$5,662.43
B4030E1A403	4.0	3000	7.5	230V/1PH/33A	AR	\$6,169.56
B4030E1G403	4.0	3000	7.5	230V/1PH/33A	GP	\$6,202.94
B4030E3CP407	4.0	3000	7.5	230V/3PH/17A	CAT	\$6,277.23
B4030E3G403	4.0	3000	7.5	230V/3PH/17A	GP	\$5,859.47

514-494-5000 / 1-877-494-5001

PRO-MAX SERIES



B4035E3G403
with Auto Start/Stop Option

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - Precede model with S/
Example: S/B5535E3G303

Block Mounted K7 Unloader.
3500 psi max. List: \$304.08

*Auto Start/Stop (230V).
List: \$724.41

*Auto Start/Stop w/time
delay-consult factory

*460V available – consult factory

***NOTE:** Review specs for models
with Auto Start/Stop options as
these units are custom made
and **NONCANCELABLE &
NONRETURNABLE**

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
B4035E3A403	4.0	3500	10.0	230V/3PH/23A	AR	\$6,253.54
B4035E3G403	4.0	3500	10.0	230V/3PH/23A	GP	\$6,283.69
B4040E3G403	4.0	4000	15.0	230V/3PH/34A	HP	\$7,547.75
B4540E3C407	4.5	4000	15.0	230V/3PH/34A	CAT	\$9,903.60

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-MAX HP SERIES



B5550E3G511



Conseil-Vente-Service
514-494-5000 / 1-877-494-5001

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (two year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/35' GFCI cord and plug)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
B4550E3G511	4.5	5000	20.0	230V/3PH/46A	GP	\$11,809.38
B5550E3G511	5.5	5000	20.0	230V/3PH/46A	GP	\$11,696.33

514-494-5000 / 1-877-494-5001

PRO-MAX HP SERIES



POLYCHAIN DRIVE



**B4560E3G600
with Auto Start/Stop Option**

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B5550E3G511

ACI5000 5000 PSI Chemical Injector Assembly. List: \$137.95

ACI6000 6000 PSI Chemical Injector Assembly. List: \$232.12

*Auto Start/Stop (230V). List: \$717.44

*Auto Start/Stop w/time delay-consult factory.

*460V available – consult factory

***NOTE:** Review specs for models with Auto Start/Stop options as these units are custom made and **NONCANCELABLE & NONRETURNABLE.**

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
B4560E3G600	4.5	6000	20.0	230V/3PH/46A	GP	\$13,948.81
B4070E3A700	4.0	7000	20.0	230V/3PH/46A	AR	\$15,623.09
B4070E3G700	4.0	7000	20.0	230V/3PH/46A	GP	\$15,205.33

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HDC GAS SERIES



**HDCV5550HG
PKW005**

**SHOWN WITH
OPTIONAL
WHEEL KIT**

STANDARD FEATURES

- Rugged powder coated steel frame
- Removable roll cage w/ hose reel platform. Dimensions: 43"L x 21"W x 36"H
- On board 12 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Full sized battery w/ marine battery box
- Skid mount or portable
- Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Adjustable pressure unloader
- Many flow rates and pressures available

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- Tank feed plumbing
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/ quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, 6000 & 7000 PSI units (See Available Options).

HEAVY-DUTY V-BELT DRIVE GAS ENGINE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
HDCV8035HG	8.0	3500	GX690 Honda	GP	\$10,818.99
HDCV5550HA	5.5	5000	GX690 Honda	AR	\$10,924.01
HDCV5550HG	5.5	5000	GX690 Honda	GP	\$10,945.44

514-494-5000 / 1-877-494-5001

HDC GAS SERIES



HDC4070HG



Conseil-Vente-Service
514-494-5000 / 1-877-494-5001



**HDC4560HG
PKW005**

**SHOWN WITH
OPTIONAL
WHEEL KIT**

AVAILABLE OPTIONS

BRK200-C Brake Kit. List: \$116.05

HRK-HDC (Polychain) Hose Reel Kit, 250' x 3/8" max. w/ no add'l hose. List: \$554.72

HRK-HDCV (V-Belt) Hose Reel Kit, 250' x 3/8" max. w/ no add'l hose. List: \$592.88

HRK-HDC5K Hose Reel Kit, 5000 PSI units. List: \$1,292.48

HRK-HDC7K Hose Reel Kit, 6000 & 7000 PSI units. List: \$1,484.74

PKW005 Wheel Kit w/ Handle Assembly. List: \$457.46

ACI5000 5000 PSI Chemical Injector Assembly. List: \$137.95

ACI6000 6000 PSI Chemical Injector Assembly. List: \$232.12

CCK015 On Board 12 Gal. Poly Fuel Tank w/ Carbon Canister- California Compliant Upgrade. List: \$188.78

Jetter Valve Kit - Call factory for price & availability.

NOTE: Portable units come with bypass plumbing.

HEAVY-DUTY POLYCHAIN DRIVE GAS ENGINE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
HDC5550HG	5.5	5000	GX690 Honda	GP	\$11,503.75
HDC4070HG	4.0	7000	GX690 Honda	GP	\$15,169.74
HDC6070KA	6.0	7000	CH1000 Kohler	AR	\$22,593.87

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HDC DIESEL SERIES



**HDCV5550KLDG
PKW004-C**

**SHOWN
WITH
OPTIONAL
WHEEL KIT**

STANDARD FEATURES

- Rugged powder coated steel frame w/ fork lift channels
- Removable roll cage w/ lifting hooks
Dimensions: 47"L x 41"W x 48"H
- On board 12 gallon poly fuel tank
- Full sized battery w/ marine battery box
- Skid mount or portable
- Commercial/Industrial diesel engines
- Engine and pump oil drains offer easy maintenance
- V-belt drive
- Adjustable pressure unloader
- Many flow rates and pressures available

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- Tank feed plumbing
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/ quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

PKW004-C Wheel Kit w/ Handle Assembly. List: \$1,115.11

ACI5000 5000 PSI Chemical Injector assembly. List: \$137.95

ACI6000 6000 PSI Chemical Injector Assembly. List: \$232.12

Jetter Valve Kit - Call factory for price & availability.

NOTE: Portable units come with bypass plumbing.

2-CYLINDER WATER COOLED MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
HDCV5535KLDG	5.5	3500	KDW702 Kohler	HP	\$21,762.48
HDCV5040KLDA	5.0	4000	KDW702 Kohler	AR	\$21,510.34

3-CYLINDER WATER COOLED MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
HDCV8040KLDG	8.0	4000	KDW1003 Kohler	HP	\$23,671.33
HDCV5550KLDG	5.5	5000	KDW1003 Kohler	GP	\$24,197.24

514-494-5000 / 1-877-494-5001

HOT SHOT MINI SERIES

2115-15G1



**3115-10G1
ATK010
Auto Start/Stop**

**SHOWN WITH
OPTIONAL THERMOSTAT
& AUTO START STOP**

STANDARD FEATURES

- Rugged powder coated steel frame
- 4-wheel dimensions: 39"L x 31"W x 49"H, 2-wheel dimensions: 44"L x 27"W x 36"H
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade motors
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Thermo-sensor (prevents over heating in bypass mode)
- Includes GFCI with 35' cord and plug

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

2 WHEEL PORTABLE DIRECT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
2115-15G1	2.0	1500	2.0	115V/1PH/18A	GP	\$5,470.77
3115-10G1	3.0	1000	2.0	115V/1PH/18A	GP	\$5,477.32

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HOT SHOT SERIES



4230-40A1



AVAILABLE OPTIONS: ALL MODELS

ATK010 Inline Adjustable Thermostat.
List: \$221.75

AVAILABLE OPTIONS: 4 WHEEL MODELS ONLY

BRK100 Brake Kit. List: \$82.50

HRK415 Hose Reel Kit, 150' x 3/8" max.
w/ no add'l hose. List: \$345.63

**CAT pumps available -
consult factory**

4 WHEEL PORTABLE DIRECT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
3230-30A1	3.0	3000	6.0	230V/1PH/26A	AR	\$8,120.38
4230-20G1	4.0	2000	6.0	230V/1PH/26A	GP	\$8,372.78
4230-25G1	3.5	2500	6.0	230V/1PH/26A	GP	\$8,383.70
5230-30A1	5.0	3000	10.0	230V/1PH/44A	AR	\$9,265.45
4230-35A1	4.0	3500	10.0	230V/1PH/44A	AR	\$9,023.98
4230-40A1	3.5	4000	10.0	230V/1PH/44A	AR	\$9,123.41

514-494-5000 / 1-877-494-5001

HOT SHOT SERIES



4230VB-30G1

AVAILABLE OPTIONS: ALL MODELS

ATK010 Inline Adjustable Thermostat.
List: \$221.75

BRK100 Brake Kit. List: \$82.50

HRK415 Hose Reel Kit, 150' x 3/8"
max.w/ no add'l hose. List: \$356.00

**AR, CAT and Viper pumps
available - consult factory**

STANDARD FEATURES

- Rugged powder coated steel roll cage frame w/ lifting hook & 13" flat free tires & threaded axles
- 4-wheel dimensions: 39"L x 31"W x 49"H
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade motors
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Low speed pump w/ thermo-sensor (prevents over heating in bypass mode)
- Includes GFCI with 35' cord and plug

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Adjustable high pressure chemical metering system
- 4 color-coded QC spray nozzles

4 WHEEL PORTABLE V-BELT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
3230VB-25G1	3.0	2500	5.0	230V/1PH/25A	GP	\$8,879.76
4230VB-20G1	4.0	2000	5.0	230V/1PH/25A	GP	\$9,091.72
4230VB-30G1	4.0	3000	7.5	230V/1PH/33A	GP	\$10,726.29
4230VB-30G3	4.0	3000	7.5	230V/3PH/17A	GP	\$9,950.53

4 WHEEL PORTABLE V-BELT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
5230VB-30G1	5.0	3000	10.0	230V/1PH/46A	HP	\$10,963.39

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HOT2GO HV SERIES



HV13002E1H



ELECTRIC POWERED, DIESEL HEATED

The HV Series combines the cleaning power of high pressure with the grease cutting effectiveness of hot water, wet steam, or downstream soap. This machine offers great portability with the included wheel kit. Choose either the 115V/15amp or 208/230V/24amp power supply. This compact pressure washer is built to last with an industrial duty motor and a triplex, ceramic plunger pump. These heavy duty pumps outperform axial and wobble plate pumps and are designed for a long life of industrial duty use.

STANDARD FEATURES

- High efficiency heating system will quickly heat water up to 250°F wet steam
- Dual voltage on the 208/230v model allows you to operate with either 208v or 230v with the flip of a switch
- Stainless steel insulated coil enclosure
- Integrated hose/ electrical cord storage hooks
- Rugged Powder Coated Steel frame with balanced lifting point
- 4 large tires for easy portability
- Integrated hose/ electrical cord storage hooks
- Includes 35' GFCI cord with plug
- Large 8 gallon diesel tank to supply diesel burner
- Adjustable thermostat, pressure relief valve, Safety bust disk included for operator safety
- Integrated gun/ wand holder
- Dimensions: 44"L x 28"W x 45"H

STANDARD ACCESSORIES

- 50' high pressure hose
- 36" gun wand assembly
- QC spray nozzles
- Downstream soap injection with QC soap nozzle and 2 ½ gallon soap jug

ELECTRIC POWERED, DIESEL HEATED

Part#	GPM	PSI	HP	Volts/Amps	List
HV13002E1H*	1.75	1300	1.5	115v/15amp	\$5,208.27
HV22004E2H	3.5	2200	5	208/230v/1ph 24amp	\$5,976.72

*Plugs into any standard outlet.

514-494-5000 / 1-877-494-5001

HOT2GO SH SERIES

GAS POWERED, DIESEL HEATED

The SH Series is a portable high power washer with a compact design, ideal for use where electric power is not available. Commercial duty engines provide power to the triplex, ceramic plunger, direct-drive pumps to give you the right cleaning power where you need it.

Requires Group 24 550CCA battery, not included.



SH40004HH



STANDARD FEATURES

- Rugged Powder Coated Steel frame with balanced lifting point
- Integrated handles and 4 large tires for easy portability
- Adjustable thermostat up to 250°F wet steam
- Stainless Steel insulated coil enclosure
- Integrated gun/ wand holder and hose storage hooks
- Large 8 gallon diesel tank to supply diesel burner
- Pressure relief valve, Safety bust disk included for operator safety
- Dimensions: 44"L x 28"W x 45"H

STANDARD ACCESSORIES

- 50' high pressure hose
- Gun and wand assembly
- QC spray nozzles

OPTIONAL ACCESSORIES

- Downstream soap injection with QC soap nozzle (AC340)
- Hour meter (AM512)

PORTABLE DIRECT DRIVE MODELS

Part#	GPM	PSI	CC	Engine	Pump	List
SH27003VH	2.5	2700	205	Vanguard E/S	AR	\$7,342.54
SH30003HH	3.0	3000	270	GX270 Honda	AR	\$8,040.51
SH35003VH	3.0	3500	305	Vanguard	AR	\$7,789.24
SH40004HH	3.5	4000	389	GX390 Honda E/S	AR	\$9,241.00

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HOT SHOT SERIES



GAS ENGINE DIRECT DRIVE



4012-10C



4012-17G

GAS ENGINE V-BELT DRIVE

STANDARD FEATURES

- Rugged powder coated steel roll cage frame w/ lifting hook & 13" flat free tires & threaded axles
- 4-wheel dimensions: 39"L x 31"W x 49"H
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade engines
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Thermo-sensor (prevents over heating in bypass mode)

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/ marine battery box. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

4 WHEEL PORTABLE DIRECT DRIVE GAS ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012-10A	4.0	4000	GX390 Honda	AR	\$8,887.10
4012-10C	4.0	4000	GX390 Honda	CAT	\$9,745.11
4012-10G	4.0	4000	GX390 Honda	GP	\$9,195.71
4012-42HV	4.0	4200	GX390 Honda	Viper	\$9,177.48
4012-42KV	4.0	4200	CH440 Kohler	Viper	\$8,131.92

4 WHEEL PORTABLE V-BELT DRIVE GAS ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012-17A	4.0	4000	GX390 Honda	AR	\$10,327.48
4012-17C	4.0	4000	GX390 Honda	CAT	\$11,197.45
4012-17G	4.0	4000	GX390 Honda	HP	\$10,561.30

514-494-5000 / 1-877-494-5001

HOT SHOT SERIES



4012-15G

DIESEL ENGINE DIRECT DRIVE

AVAILABLE OPTIONS

ATK005 Adjustable Thermostat.
List: \$96.76

BRK100 Brake Kit. List: \$82.50

HRK415 Hose Reel Kit, 150' x 3/8" max.
w/no add'l hose. List: \$356.00

**AR, CAT, GP and Viper gear
drive pumps available -
consult factory.**

4 WHEEL PORTABLE DIRECT DRIVE DIESEL ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012-15G	4.0	3200	KD420ES Kohler	GP	\$13,749.24

4 WHEEL PORTABLE V-BELT DRIVE DIESEL ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012-16G	4.0	3200	KD420ES Kohler	GP	\$15,052.49

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-SUPER SKID SERIES



STANDARD FEATURES

- Rugged powder coated steel, low-profile frame w/ fork lift channels
- 48" L x 43" W x 48" H frame dimensions offer versatile installation
- Super efficient schedule 80 coil
- Stainless steel coil wrap, burner hood, and control panel
- On board 12 gallon poly diesel & gas (excludes GX390 models) fuel tanks w/ fuel filters - Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Reliable Honda & Vanguard gasoline Commercial/Industrial electric start engines
- Includes 12 volt battery and marine battery box
- Fully self-contained, no external power required
- Choice of reliable AR, CAT and General pumps
- Reliable Beckett burners
- Adjustable thermostat
- 3VX belt system offers balanced power transfer
- Engine and pump oil drains offer easy maintenance
- Safety pressure relief valve


NOTE: 12V units include 20 amp charging system. 115V units include 2500 watt generator. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

PRO-SUPER SKID GAS ENGINE V-BELT DRIVE 12 VOLT MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012PRO-10G	4.0	3500	GX390 Honda	HP	\$10,474.99
5012PRO-10C	5.0	3000	GX390 Honda	CAT	\$10,696.79
5012PRO-10G	5.0	3000	GX390 Honda	HP	\$10,719.73
5012PRO-35C	5.0	3500	GX630 Honda	CAT	\$12,986.93
6012PRO-20G	5.5	3500	GX630 Honda	HP	\$12,815.39
6012PRO-20G-V	5.5	3500	18 HP Vanguard	HP	\$11,721.67
6012PRO-10G	5.5	4000	GX630 Honda	GP	\$13,694.95
7012PRO-40HA	7.0	4000	GX690 Honda	AR	\$14,802.87
8012PRO-30HG	8.0	3000	GX630 Honda	GP	\$14,507.86
8012PRO-35HG	8.0	3500	GX690 Honda	GP	\$14,800.68

514-494-5000 / 1-877-494-5001

PRO-SUPER SKID SERIES



6115PRO-10G

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

PKW003-C Wheel Kit.
List: \$1,131.63

ESK016 Exhaust Stack Kit,
Fits 16" Coil. List \$74.90

FTK001 Float Tank Kit w/ High
Pressure Chemical Metering Valve.
List: \$628.65

CCK015 On Board 12 Gal. Poly Fuel
Tank w/ Carbon Canister- California
Compliant Upgrade. List: \$176.77


PRO-SUPER SKID W/ 115 VOLT, 2900 WATT, 20 AMP GENERATOR

Part#	GPM	PSI	Model/Brand	Pump	List
6115PRO-20G	5.5	3500	GX630 Honda	HP	\$14,225.96
6115PRO-10G	5.5	4000	GX690 Honda	GP	\$15,309.85
8115PRO-30HG	8.0	3000	GX690 Honda	GP	\$16,391.55
8115PRO-40KG	8.0	4000	CH750 Kohler	HP	\$20,837.43

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HOT2GO SK SERIES



SH30005VH

The SK Series is a truly versatile machine. It can be trailer or truck mounted to work for you, right where you need it.

Requires Group 24 550 CCA battery, not included.

STANDARD FEATURES

- Commercial/ Industrial, electric start gasoline engines
- Rugged powder coated steel frame with balanced lifting point
- Triplex, ceramic plunger direct or belt drive pumps
- Adjustable thermostat up to 250°F
- High capacity ½" SCH 80 steel coil
- Stainless Steel insulated coil wrap
- Large 8 gallon gas and diesel tanks (on belt drive models) for long run times without refueling
- Remote mounted unloader for easy maintenance
- External bypass loop keeps pump running cool
- Pressure relief valve, Safety bust disk included for operator safety
- 50 State CARB compliant
- Dimensions: 43"L x 27"W x 45"H

STANDARD ACCESORIES

- 50' high pressure hose
- Gun and wand assembly
- QC spray nozzles

OPTIONAL ACCESORIES

- Downstream soap injection with QC soap nozzle (AC340)
- Hour meter (AM512)
- 200 gallon Transport trailer with reels, 200 gallon tank skid with reels, Tow & Stow™ tank skid transporter (See page 54 for additional details and pricing)



GAS POWERED DIRECT DRIVE 12V SKID MODEL

Part#	GPM	PSI	CC	Engine	Pump	List
SK40004HH*	3.5	4000	389	GX390 Honda	AR	\$9,380.59

*SK40004HH has a 1.6 gallon gasoline tank mounted on the engine and dual 8 gallon diesel fuel tanks.


GAS POWERED BELT DRIVE 12V SKID MODELS

Part#	GPM	PSI	CC	Engine	Pump	List
SK30005VH	5.0	4000	479	Vanguard	AR	\$10,246.06
SK40005VH	4.8	4000	570	Vanguard	AR	\$11,586.14

514-494-5000 / 1-877-494-5001

PRO-SUPER SKID SERIES

DIESEL ENGINE / DIESEL BURNER



6115PRO-40KLDG

STANDARD FEATURES

- Rugged powder coated steel, low-profile frame w/ fork lift channels
- Frame Dimensions: 53"L x 51"W x 52"H All models except 4012PRO-32KLDG / 48" L x 43" W x 48" H Model 4012PRO-32KLDG Only
- Super efficient schedule 80 coil
- Stainless steel coil wrap, burner hood, and control panel
- Dual 12 gallon poly diesel fuel tanks with fuel filters
- Reliable Kohler & Kubota Diesel Commercial/Industrial electric start engines
- Includes 12 volt battery and marine battery box
- Fully self-contained, no external power required
- Choice of reliable AR, CAT and General pumps
- Reliable Beckett burners
- Adjustable thermostat
- 3VX belt system offers balanced power transfer
- Engine and pump oil drains offer easy maintenance
- Safety pressure relief valve

NOTE: 12V units include 45 amp charging system (except 4012PRO-32KLDG which includes 20 amp charging system). 115V units include 2500 watt generator. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

PRO-SUPER SKID DIESEL ENGINE V-BELT DRIVE 12 VOLT MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012PRO-32KLDG	4.0	3200	KD420ES Kohler	GP	\$15,275.98
6012PRO-40KLDG	5.5	4000	KDW1003 Kohler	GP	\$25,978.23
7012PRO-40KLDA	7.0	4000	KDW1003 Kohler	AR	\$25,911.58
8012PRO-35KLDG	8.0	3500	KDW1003 Kohler	GP	\$26,375.94
8012PRO-40KLDG	8.0	4000	KDW1003 Kohler	HP	\$26,375.94

PRO-SUPER SKID W/ 115 VOLT, 2900 WATT, 20 AMP GENERATOR

Part#	GPM	PSI	Model/Brand	Pump	List
6115PRO-40KLDG	5.5	4000	KDW1003 Kohler	GP	\$27,609.52

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

- PKW003-C Wheel Kit. List: \$1,131.63
- ESK016 Exhaust Stack Kit, Fits 16" Coil. List \$74.90
- FTK001 Float Tank Kit w/ High Pressure Chemical Metering Valve. List: \$628.65

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-SGF SERIES



4230SGF-20G1-NG

PROFESSIONAL INSTALLATION REQUIRED

STATIONARY LP/NG GAS FIRED V-BELT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
4230SGF-20G1	4.0	2000	5.0	230V/1PH/25A	GP	\$12,177.40
4230SGF-30G1	4.0	3000	7.5	230V/1PH/36A	GP	\$12,718.36
4230SGF-30G3	4.0	3000	7.5	230V/3PH/25A	GP	\$13,350.37

Pump Motor Compartment



STANDARD FEATURES

- Rugged powder coated steel frame, enclosed pump/motor compartment & electrical compartment w/hinged lid
- Frame Dimensions: 46"L x 27"W x 50"H
All models except 8.0 GPM
48" L x 31" W x 53" H
8.0 GPM models only
- Super efficient schedule 80 coil w/ stainless steel coil wrap
- LP/NG electronic ignition & 24VAC controls
- Commercial/Industrial grade motors
- Low speed V-belt driven pump
- Adjustable thermostat, safety pressure relief valve, hour meter, soap solenoid w/ panel mount switch & auto start w/ adjustable time delay shutdown

NOTE: All units are completely factory assembled & tested in the USA.
PROFESSIONAL ELECTRICAL, GAS & EXHAUST INSTALLATION REQUIRED

STANDARD ACCESSORIES:

- Gun/ wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Adjustable high pressure chemical metering system
- 4 color-coded QC spray nozzles

PRO-SGF SERIES

STATIONARY LP/NG FIRED

Electrical Compartment



4230SGF-20G1-NG

AVAILABLE OPTIONS:

146110 10" Draft Diverter- Fits All SGF Models Except 8 GPM List: \$309.21
 146112 12" Draft Diverter- Fits 8 GPM SGF Models Only List: \$370.25
 153231A Individual Remote Station Including Start/Stop/Burner/Soap Functions w/Indicator Lights List: \$450.99
 14/4/SJ Cable, Remote Stations P/FT List: \$3.83

Oil Fired Models Available - Consult Factory
AR & CAT Pumps Available - Consult Factory

CUSTOMER MUST SPECIFY EITHER LP (LIQUID PROPANE) OR NG (NATURAL GAS) WHEN PLACING ORDER
 Example: 4230SGF-20G1-LP

STATIONARY LP/NG GAS FIRED V-BELT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
5230SGF-20G1	5.0	2000	7.5	230V/1PH/36A	HP	\$12,762.28
5230SGF-30G1	5.0	3000	10.0	230V/1PH/42A	HP	\$15,103.92
5230SGF-30G3	5.0	3000	10.0	230V/3PH/34A	HP	\$15,159.62
5460SGF-30G3	5.0	3000	10.0	460V/3PH/18A	HP	\$15,159.62
8460SGF-30G3	8.0	3000	15.0	460V/3PH/20A	GP	\$18,825.27

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-SKID SERIES



AST200
ASR100
KBP100
AHR250-1
TS/D4040HG431

PRO-SKID SERIES

Pro-Skid units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 100 or 200 gallon tank feed system. Available pressures of 2400 PSI to 4000 PSI and flow rates up to 10 GPM in belt, gear, and direct drive configurations. Add the tank/skid model with desired equipment options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which is chemical resistant and rustproof. All units feature adjustable pressure unloader valve. These skid units mount quickly and securely into truck beds, trailers or other vehicles.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: All 100 gallon units are factory assembled (200 gallon units require minor assembly), tested in the USA, and delivered ready to operate. GX630 Model comes with remote 6 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade

TANK, ALUMINUM SKID & INLET PLUMBING KITS

Part#	Description	List
AST050	50 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing	\$1,401.99
AST100	100 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing	\$1,703.60
AST200	200 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing	\$2,216.75

PRESSURE WASHER POWER UNITS

Part#	GPM	PSI	Model/Brand	Pump	List
TS/D3024HG432	3.0	2400	GX200 Honda	GP Direct Drive	\$2,043.14
TS/D3027HG432	3.0	2700	GX200 Honda	GP Direct Drive	\$2,026.09
TS/D3032HG431	3.0	3200	GX270 Honda	GP Direct Drive	\$2,572.05
TS/D4040HA431	4.0	4000	GX390 Honda	AR Direct Drive	\$2,536.87
TS/D4040HG431	4.0	4000	GX390 Honda	GP Direct Drive	\$2,703.23
TS/VB4040HG431	4.0	4000	GX390 Honda	HP V-Belt Drive	\$3,700.27

514-494-5000 / 1-877-494-5001

PRO-SKID SERIES



**AST200
TS/VB4040HGE431**

AVAILABLE OPTIONS

GX630 Model Only: CCK006 Remote
6 Gal. Poly Fuel Tank w/ Carbon
Canister- California Compliant
Upgrade. List: \$86.08

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. *All
electric start models include battery
and marine battery box. List: \$734.37
Order standard model and add
E suffix after model.
Example: E4040HGE

DIMENSIONS:

AST-100 with AHR250
39" W x 62" L x 44" H
39" W x 62" L x 31" H (w/o hose reel)

AST-200 with AHR250
49" W x 62" L x 53" H

49" W x 62" L x 40" H (w/o hose reel)

**Call factory for more
configurations.**

OPTIONS

Part#	Description	List
ASR100	Aluminum Hose Reel Support Assembly with Mounting Hardware	\$274.48
KBP100	Tank Feed Unloader Bypass Return and Hose Assembly	\$97.39
KTF100	Float Valve Assembly – (shuts water off when tank is full)	\$200.15
KTD075	Tank Drain, 3/4"	\$135.02
LWS100	Low Water Shutdown – (shuts engine off when water level is low)	\$324.06

OPTIONAL HOSE REELS

Part#	Description	List
AHR100-1	GP Hose Reel with Hardware, 100' x 3/8" maximum	\$224.12
AHR200-1	GP Hose Reel with Hardware, 200' x 3/8" maximum	\$294.53
AHR250-1	Hosetract Heavy Duty Hose Reel with Hardware, 250' x 3/8" maximum	\$565.02
AHR250-3	Titan S.S. Hose Reel with Hardware, 250' x 3/8" maximum	\$1,151.77

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-ATV SERIES

**BUY 6 +
SAVE 2%***

**CST050-GATOR
AHR250-G
RCS/G1050HH
266693
4465-1702 200'**



TANK, ALUMINUM SKID & INLET PLUMBING KITS

Part#	Description	List
AST050-GATOR	Assembly Skid/Tank, 50 Gallon, Inlet Plumbing	\$1,248.76
CST050-GATOR	Assy. Chem. Skid/Tank, 50 Gal., w/ Inlet Plumbing & Bypass	\$1,309.36

ROLL CAGE SKID POWER UNITS

Part#	GPM	PSI	Model/Brand	Pump	List
RCS/E3027HA-TF*	3.0	2700	GX200 Honda	Viper Direct Drive	\$1,861.77
RCS/E3027HG-TF*	3.0	2700	GX200 Honda	GP Direct Drive	\$1,972.76
RCS/G1050HH	10	500	GX200 Honda	Hypro Gear Drive	\$3,962.59

PRO-ATV SERIES

Pro-ATV Skid units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 50 gallon tank feed system. Available pressures from 500 PSI to 4000 PSI and flow rates up to 10 GPM in gear, and direct drive configurations. Add the tank/skid model with desired equipment and options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which is chemical resistant and rustproof. These units mount quickly and securely into Gator, Rhino, Mule or other ATV vehicles.

PRO-ATV SERIES



**AST050-GATOR
AHR100-1
RCS/E3027HG-TF*
KBP100**

Gator ATV NOT INCLUDED

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

***RCS/E3027H** models come with STANDARD ACCESSORIES noted on page 30

AST050-GATOR

Dimensions: (with AHR100-1)
38"W x 48"L x 44"H

CST050-GATOR

Dimensions: (with AHR250-G)
38"W x 48"L x 49"H

Call factory for more configurations.

OPTIONS

Part#	Description	List
KBP100	Tank Feed Unloader Bypass Return & Hose Assy. (CST050-GATOR already has Bypass)	\$97.39
266693	Ag. Spray Gun, compare to JD9	\$284.72
4465-1702	Ag. Hose, 3/8", Yellow, Select 200' or 400' (Price is per foot)	\$1.72
KTF100	Float Valve Assembly – (shuts water off when tank is full)	\$200.15
KTD075	Tank Drain, 3/4"	\$135.02
LWS100	Low Water Shutdown – (shuts engine off when water level is low)	\$324.06

OPTIONAL HOSE REELS

Part#	Description	List
AHR100-1	GP Hose Reel with Hardware, 100' x 3/8" maximum	\$224.12
AHR200-1	GP Hose Reel with Hardware, 200' x 3/8" maximum	\$294.53
AHR250-1	Hosetract Hose Reel w/ Hardware, 250' x 3/8" max.(High Pressure Jumper Hose)	\$565.02
AHR250-G	Hosetract Hose Reel w/ Hardware, 250' x 3/8" max.(Yellow AG Jumper Hose)	\$558.27
AHR250-3	Titan S.S. Hose Reel with Hardware, 250' x 3/8" maximum	\$1,151.77

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

**BUY 6 +
SAVE 2%***



**TRHDCV5535HG
AHS290
988VR-100**

GAS ENGINE V-BELT DRIVE TRAILER MODELS

(Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TRHDCV8030HG	8.0	3000	GX630 Honda	GP	\$18,933.82
TRHDCV5535HG	5.5	3500	GX630 Honda	HP	\$18,263.99
TRHDCV8035HG	8.0	3500	GX690 Honda	GP	\$20,804.80
TRHDCV5540HG	5.5	4000	GX630 Honda	GP	\$19,103.71
*TRHDCV5550HG	5.5	5000	GX690 Honda	GP	\$21,722.44

GAS ENGINE POLYCHAIN DRIVE TRAILER MODELS

(Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
*TRHDC6070KA	6.0	7000	CH1000 Kohler	AR	\$31,404.15

TRAILER FEATURES

- 2- 250' high pressure hose reels
- Chemical resistant coating
- 200 gallon water tank & Poly tool box
- Lights, jack w/ wheel, & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HD COMMERCIAL SKID FEATURES

- Rugged powder coated steel frame
- On board 12 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Full sized battery w/ marine battery box
- Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Adjustable pressure unloader

HD COMMERCIAL TOW-PRO TRAILERS



TRHDCV5535HG

SELF-CONTAINED, NO OUTSIDE POWER SOURCE NEEDED

AVAILABLE OPTIONS

KCT025 25 gallon Chemical Tank.

List: \$228.46

KTF200 Float valve kit. List: \$169.31

KAV001-I Air blowout valve/winterizing kit. List: \$33.24

LWS100 Low water shut-down. List: \$324.06

ACI5000 5000 PSI Chemical Injector Assembly. List: \$137.95

ACI6000 6000 PSI Chemical Injector Assembly. List: \$232.12

Jetter Valve Kit - Call factory for price & availability.

TRL-BRK Electric brakes installed. List: \$973.91

TRL-BBAK Electric brakes & breakaway installed. List: \$1,136.22

TLK100 Trailer leveling kit. List \$213.29

P9000S: Wheel/Tire fits all Tow-Pro Trailers. List: \$327.987

CCK015 On Board 12 Gal. Poly Fuel Tank w/ Carbon Canister- California Compliant Upgrade. List: \$176.77

HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	List
AHS235	4000	3/8" X 100'	Black W/Qc's	\$193.29
AHS240	4000	3/8" X 150'	Black W/Qc's	\$351.00
AHS245	4000	3/8" X 200'	Black W/Qc's	\$461.32
AHS285	4000	3/8" X 100'	Gray W/Qc's	\$221.53
AHS290	4000	3/8" X 150'	Gray W/Qc's	\$417.01
AHS295	4000	3/8" X 200'	Gray W/Qc's	\$547.36
*AHS335	6000	3/8" X 100'	Black W/Qc's	\$280.53
*AHS335-6K	6000	3/8" X 100'	Black W/10K Qc's	\$379.47
*AHS835	7200	3/8" X 100'	Black W/10K Qc's	\$544.43
988VR-100	400	3/4" X 100'	Black HD Garden Hose	\$184.50

* For 5000 , 6000 PSI, and 7000 PSI models only

Add Trailer Model and Options to Calculate Complete Trailer Cost

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HDC TOW-PRO-JET TRAILERS



**TRHDCJ/B1030KG
PRO08200S**

FOOT VALVE

TRAILER FEATURES

- 500' x 3/8" or 350' x 1/2" capacity electric high pressure hose reel
- Chemical resistant coating
- 200 gallon water tank w/ float valve
- Poly tool box
- Lights, jack w/ wheel, & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HDC JETTER SKID FEATURES

- Rugged powder coated steel frame
- On board 12 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Full sized battery w/ marine battery box
- Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Pressure regulating unloader
- Pump Mounted Jetter Pulse Valve
- Foot Valve w/ 8' Jumper Hoses
- 6-Nozzle Rack w/ 3 Nozzles Included: Penetrator – dislodges blockage (1 Forward Jet, 3 Back Jets)
Flusher – flushes loose debris (6 Back Jets)
De-icer/De-Greaser – removes grease, hard soap or even ice from heavily blocked lines (3 Forward Angle Jets, 6 Back Jets)



NOZZLE RACK

GAS ENGINE V-BELT DRIVE TRAILER MODELS

(Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TRHDCJ/VB5535HG	5.5	3500	GX630 Honda	HP	\$19,894.74
TRHDCJ/VB8035HG	8.0	3500	GX690 Honda	GP	\$20,778.83

GAS ENGINE POLYCHAIN DRIVE TRAILER MODELS

(Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
*TRHDCJ/B1030KG	10.0	3000	CH740 Kohler	GP	\$23,980.82
*TRHDCJ/B1228KG	12.0	2800	CH750 Kohler	GP	\$24,499.15
*TRHDCJ/B1230KG	12.0	3000	CH980 Kohler	GP	\$26,497.82

514-494-5000 / 1-877-494-5001

HDC TOW-PRO-JET TRAILERS

READY TO WORK!



**TRHDCJ/B1030KG
PRO08200S**

**BUY 6 +
SAVE 2%***

AVAILABLE OPTIONS

KWT025 25 gallon Winterizing Tank.
List: \$346.89

LWS100 Low water shut-down. List: \$324.06
TRL-BRK Electric brakes installed.

List: \$973.91

TRL-BBAK Electric brakes &
breakaway installed. List: \$1,136.22

TLK100 Trailer leveling kit.
List \$213.29

P9000S: Wheel/Tire fits all Tow-Pro
Trailers. List: \$327.97

CCK015 On Board 12 Gal. Poly Fuel
Tank w/ Carbon Canister- California
Compliant Upgrade. List: \$188.78

JETTER HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	In/Out	List
PRO06200S	3600	3/8" X 200'	Black	3/8" MPT**	\$757.93
PRO06250S	3600	3/8" X 250'	Black	3/8" MPT**	\$897.55
PRO06300S	3600	3/8" X 300'	Black	3/8" MPT**	\$1,017.23
*PRO08200S	4000	1/2" X 200'	Green	1/2" MPT**	\$1,238.47
*PRO08250S	4000	1/2" X 250'	Green	1/2" MPT**	\$1,358.85
*PRO08300S	4000	1/2" X 300'	Green	1/2" MPT**	\$1,602.03

*1/2" hose available with these models only. **Inlet = MPT Solid/Outlet = MPT Swivel

Add Trailer Model and Options to Calculate Complete Trailer Cost

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HOT SHOT TOW-PRO TRAILERS

READY TO WORK!



**TRS/4012-40HG
AHS290
988VR-100**

**SELF-CONTAINED, NO OUTSIDE
POWER SOURCE NEEDED**

TRAILER FEATURES

- 2- 250' high pressure hose reels
- Chemical resistant coating
- 200 gallon water tank & Poly tool box
- Lights, jack, w/ wheel & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HOT SHOT FEATURES

- Rugged powder coated steel burner frame
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade engines
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/ marine battery box.

GAS ENGINE 12V DIRECT DRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TRS/4012-40HA	4.0	4000	GX390 Honda	AR	\$18,706.82
TRS/4012-40HC	4.0	4000	GX390 Honda	CAT	\$19,005.10
TRS/4012-40HG	4.0	4000	GX390 Honda	GP	\$18,478.46

514-494-5000 / 1-877-494-5001

HOT SHOT TOW-PRO TRAILERS

**BUY 6 +
SAVE 2%***



TRS-4012-40HG

AVAILABLE OPTIONS

KCT025 25 gallon Chemical Tank.
List: \$232.98

TLK100 Trailer Leveling Kit.
List: \$213.29

KTF200 Float valve kit. List: \$169.31

KAV001-I Air blowout valve/winterizing kit. List: \$33.24

LWS100 Low water shut-down.
List: \$324.06

ATK005 Adjustable Thermostat.
List: \$96.76

TRL-BRK Electric brakes installed.
List: \$973.91

TRL-BBAK Electric brakes & breakaway installed. List: \$1,136.22

P9000S: Wheel/Tire fits all Tow-Pro Trailers. List: \$327.97

HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	List
AHS235	4000	3/8" X 100'	Black W/Qc's	\$193.29
AHS240	4000	3/8" X 150'	Black W/Qc's	\$351.00
AHS245	4000	3/8" X 200'	Black W/Qc's	\$461.32
AHS285	4000	3/8" X 100'	Gray W/Qc's	\$221.53
AHS290	4000	3/8" X 150'	Gray W/Qc's	\$417.01
AHS295	4000	3/8" X 200'	Gray W/Qc's	\$547.36
AHS335	6000	3/8" X 100'	Black W/Qc's	\$280.53
988VR-100	400	3/4" X 100'	Black HD Garden Hose	\$184.50

Add Trailer Model and Options to Calculate Complete Trailer Cost

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-SUPER SKID TOW-PRO TRAILERS

**BUY 6 +
SAVE 2%***



TR6012PRO-35HG

TRAILER FEATURES

- 2- 250' high pressure hose reels
- Chemical resistant coating
- 200 gallon water tank & Poly tool box
- Lights, jack, w/ wheel & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 63"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

PRO-SUPER SKID FEATURES

- Rugged powder coated steel, low-profile frame w/ fork lift channels
 - Super efficient schedule 80 coil
 - Stainless steel coil wrap, burner hood, and control panel
 - On board 12 gallon poly diesel & gas (excludes GX390 models) fuel tanks w/ fuel filters - Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
 - Reliable Honda & Vanguard gasoline Commercial/Industrial electric start engines
 - Includes full size 12 volt battery and marine battery box
 - Fully self-contained, no external power required
 - Choice of reliable AR, Cat and General pumps
 - Reliable Beckett burners
 - Adjustable thermostat
 - 3VX belt system offers balanced power transfer
 - Engine and pump oil drains offer easy maintenance
 - Safety pressure relief valve
- NOTE:** 12V units include 20 amp charging system. 115V units include 2900 watt generator.

**SELF-CONTAINED, NO OUTSIDE
POWER SOURCE NEEDED**

GAS ENGINE 12V V-BELT DRIVE TRAILER MODELS

(Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TR6012PRO-35HG	5.5	3500	GX630 Honda	HP	\$22,822.73
TR7012PRO-40HA	7.0	4000	GX690 Honda	AR	\$23,870.56
TR8012PRO-35HG	8.0	3500	GX690 Honda	GP	\$24,218.01

514-494-5000 / 1-877-494-5001

PRO-SUPER SKID TOW-PRO TRAILERS

READY TO WORK!



TR6012PRO-35HG

AVAILABLE OPTIONS

ESK016 Exhaust Stack Kit, Fits 16" Coil. List \$74.90

KTF200 Float valve kit. List: \$169.31

KAV001-I Air blowout valve/winterizing kit. List: \$33.24

LWS100 Low water shut-down. List: \$324.06

TRL-BRK Electric brakes installed. List: \$973.91

TRL-BBAK Electric brakes & breakaway installed. List: \$1,136.22

TLK100 Trailer Leveling Kit. List: \$213.29

P9000S: Wheel/Tire fits all Tow-Pro Trailers. List: \$327.97

CCK015 On Board 12 Gal. Poly Fuel Tank w/ Carbon Canister- California Compliant Upgrade. List: \$176.77

GAS ENGINE 115V V-BELT DRIVE TRAILER MODELS

(Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TR5115PRO-30VA	5.0	3000	18 HP Vanguard	AR	\$23,660.19
TR5115PRO-40HA	5.0	4000	GX630 Honda	AR	\$24,610.29
TR6115PRO-35HG	5.5	3500	GX630 Honda	HP	\$24,086.90
TR6115PRO-40HG	5.5	4000	GX690 Honda	GP	\$25,204.65
TR8115PRO-30HG	8.0	3000	GX690 Honda	GP	\$25,555.38
TR8115PRO-40KG	8.0	4000	CH750 Kohler	HP	\$29,542.38

HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	List
AHS235	4000	3/8" X 100'	Black W/Qc's	\$193.29
AHS240	4000	3/8" X 150'	Black W/Qc's	\$351.00
AHS245	4000	3/8" X 200'	Black W/Qc's	\$461.32
AHS285	4000	3/8" X 100'	Gray W/Qc's	\$221.53
AHS290	4000	3/8" X 150'	Gray W/Qc's	\$417.01
AHS295	4000	3/8" X 200'	Gray W/Qc's	\$547.36
AHS335	6000	3/8" X 100'	Black W/Qc's	\$280.53
988VR-100	400	3/4" X 100'	Black HD Garden Hose	\$184.50

Add Trailer Model and Options to Calculate Complete Trailer Cost

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HOT2GO TRAILERS AND WATER TANK PACKAGES

Choose the tank configuration that best suits your needs. All systems include the following features:

- Hot/Cold/Steam power washer with all features of SK Series washers
 - 200 gallon capacity tank with inlet water filter strainer to protect pump from debris
 - Stainless steel inlet & high pressure hose reels, includes 50' high pressure & 100' inlet hose
- NOTE: For detailed machine specs and features refer to page 38 for SK Series additional info.

Single axle trailer:

- 3700 # rated torsion axles for smooth ride
- Flip up locking wheeled jack
- Heavy duty steel fenders and recessed lights



SINGLE AXLE TRAILER MODELS

Part#	GPM	PSI	CC	Engine	List
T185SKH/SK40004HH	3.5	4000	389	GX390 Honda	\$16,695.22
T185SKH/SK30005VH	5.0	3000	479	Vanguard	\$17,560.69
T185SKH/SK40005VH	4.8	4000	570	Vanguard	\$18,900.77



**T185SKH
SK30005VH**

Machine shown with optional black frame.



**T185TWH
SK30005VH**

Easily mounts into your truck or existing flatbed trailer with 4 bolts.

TANK SKID MODELS

Part#	GPM	PSI	CC	Engine	List
T185TWH/SK40004HH	3.5	4000	389	GX390 Honda	\$13,345.01
T185TWH/SK30005VH	5.0	3000	479	Vanguard	\$14,210.48
T185TWH/SK40005VH	4.8	4000	570	Vanguard	\$15,550.56

Ideal for schools, malls, shopping centers, hospitals and other large facilities.

- Flip up handle automatically locks the wheels for safe and compact storage
- Pivoting front axle allows for easy maneuverability
- No weight on the tongue allows it to be pulled with a Utility Vehicle
- Transporter is intended to be used and stored on site, not for public roads.

TOW & STOW™ WASH CART MODELS

Part#	GPM	PSI	CC	Engine	List
TSKDT/T185TWH/ SK40004HH	3.5	4000	389	GX390 Honda	\$17,253.59
TSKDT/T185TWH/ SK30005VH	5.0	3000	479	Vanguard	\$18,119.06
TSKDT/T185TWH/ SK40005VH	4.8	4000	570	Vanguard	\$19,459.14



**TSKDT
T185TWH
SK40005VH**

514-494-5000 / 1-877-494-5001

HOT LINK HOT WATER GENERATOR



CPHL5DC

Convert your existing cold water pressure washer into a hot water pressure washer. Do you already own a cold water pressure washer but wish it had hot water? Attach a Hot Link to your existing cold water pressure washer and you have the power of hot water to quickly melt away grease and grime. The Hot Link System allows you the flexibility of using hot water on those stubborn jobs such as grease, gum, or graffiti that require the impact of hot water to get the job done right. It will save you money by getting the job done faster, and you do not have to buy a new pressure washer if you already have a cold water system. Its compact size allows for easy storage when not in use and takes up little room on your truck or trailer. You can choose from two diesel heated models.

STANDARD FEATURES

- Use with your cold water pressure washer
- 100 – 4350 psi
- 1-5 gpm
- Includes 48" jumper hose
- 3 gallon diesel fuel tank
- Adjustable temp up to 200°F
- Stainless steel insulated coil enclosure
- Redundant safety features include flow switch, pressure relief valve, and burst disc
- Compact Dimensions:
29"L x 22"W x 22"H

2 MODELS AVAILABLE

- 12v DC for remote use, hook to the battery on your pressure washer (requires 14 amp charging system)
- 115v includes 35' GFCI cord with plug. Plugs into any standard 15 amp outlet or 2000 watt generator

OPTIONAL ACCESSORIES

- Hot water rated, high pressure hose
- AHC25 4 wheel kit with handle for easy portability

HOT LINK HOT WATER GENERATOR

Part#	Voltage/Fuel	GPM	PSI	List
CPHL5DC	12 VDC Diesel	3.5	4350	\$ 3,350.21
CPHL5E1	115 VAC Diesel	5.0	4350	\$ 3,350.21

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

HOT SHOT SERIES



HBS12V40



HBS12V60



HBS115-80

HOT BOX STATIONARY MODELS

Part#	Voltage/Fuel	GPM	PSI	Dimensions	List
HBSLP60-AI/120*	120 VAC LP Gas	6.0	4000	25"L x 23"W x 50"H	\$7,598.61
HBSNG60-AI/120*	120 VAC NG Gas	6.0	4000	25"L x 23"W x 50"H	\$8,131.32
HBS12V40	12 VDC Diesel	4.0	4000	28"L x 18"W x 41"H	\$4,024.13
HBS12V60	12 VDC Diesel	6.0	4000	28"L x 18"W x 46"H	\$4,561.71
HBS12V80	12 VDC Diesel	8.0	4000	32"L x 21"W x 49"H	\$5,465.31
HBS115-30	115 VAC Diesel	3.0	4000	28"L x 18"W x 36"H	\$3,867.89
HBS115-40	115 VAC Diesel	4.0	4000	28"L x 18"W x 41"H	\$3,988.08
HBS115-60	115 VAC Diesel	6.0	4000	28"L x 18"W x 46"H	\$4,534.39
HBS115-80	115 VAC Diesel	8.0	4000	32"L x 21"W x 49"H	\$5,405.38

*Auto Ignition

STANDARD FEATURES

- Rugged powder coated steel frame
- Super efficient schedule 80 coil
- Stainless steel coil wrap
- Vertical diesel models include 8 gallon poly diesel fuel tank with fuel filter; horizontal models include 12 gallon poly diesel fuel tank with fuel filter
- Reliable Beckett burners
- LP models include regulator
- Adjustable thermostat temperature control
- Safety pressure relief valve
- 35' cord with GFCI on 115 & 120 volt models
- 13" flat free tires on 4 wheel models

514-494-5000 / 1-877-494-5001

HOT SHOT SERIES



**HBH115V60
PKW006**



**SHOWN WITH
OPTIONAL WHEEL KIT**



HBP3115

NOTE: 12 volt models, require 20 amp continuous power supply (not included). These models are to be used in conjunction with an existing pressure washer. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

AVAILABLE OPTIONS:

VERTICAL MODELS ONLY

PKW007 2 Wheel Kit w/Handle Assembly. List: \$276.27

HORIZONTAL MODELS ONLY

PKW006 4 Wheel Kit Assembly. List: \$345.79

HOT BOX HORIZONTAL (12V-115V) MODELS

Part#	Voltage/Fuel	GPM	PSI	Dimensions	List
HBH12V60	12 VDC Diesel	4-6	4000	49"L x 21"W x 37"H	\$5,098.18
HBH115V60	115 VAC Diesel	4-6	4000	49"L x 21"W x 37"H	\$5,018.42

HOT BOX PORTABLE 2 WHEEL (115V) MODELS

Part#	Voltage/Fuel	GPM	PSI	Dimensions	List
HBP4115	115 VAC Diesel	4.0	4000	44"L x 26"W x 41"H	\$4,219.71

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-JET SERIES



J/D4040HG

PRO-JET DRAIN CLEANERS

Part#	GPM	PSI	Model/Brand	Pump	List
J/D3024HG	3.0	2400	GX200 Honda	GP	\$2,629.64
J/D3027HG	3.0	2700	GX200 Honda	GP	\$2,612.58
J/D4040HG	4.0	4000	GX390 Honda	GP	\$3,475.27

JETTER HOSE OPTIONS

Part#	PSI	OD/Length	Color	In/Out	List
PR004050S	4400	1/4" x 50'	Black	1/4" MPT*	\$21.23
PR004100S	4400	1/4" x 100'	Black	1/4" MPT*	\$235.44
PR004150S	4400	1/4" x 150'	Black	1/4" MPT*	\$343.94

*Inlet = MPT Solid/Outlet = MPT Swivel


PRO-JET DRAIN CLEANERS

Pro-Jet Drain Cleaners are self contained gasoline powered drain jetters that clean out pipes without damage from moving parts. All units feature Honda motors and GP pumps. Units include pulsating jetter valve, adjustable pressure, jumper hose, roll cage, aircraft aluminum frame, hose reel, ball valve and jetter nozzle. For detailed specifications or more jetter options, consult factory.


DIMENSIONS:

35"L x 23" W x 46"H

PRO-TEST SERIES



UAG1055HU



KSD010

PRO-TEST HYDROSTATIC LINE TESTERS

Pro-Test Hydrostatic Line Testers are ready to pressure test the integrity of pipes and plumbing as required by local codes.

The unique pump design allows for the injection of liquid chlorine to sanitize pipes without damaging the pump. Adjustable pressures up to 580 PSI and flow rates up to 10.5 GPM.

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

PRO-TEST HYDROSTATIC LINE TESTERS

Part#	GPM	PSI	Model/Brand	Pump	List
UAG1050HU	10.0	500	GC190 Honda	Udor Diaph	\$3,817.57
UAG1055HU	10.0	550	GX200 Honda	Udor Diaph	\$4,030.84
UAG1058HU	10.0	580	GX200 Honda	Udor Diaph	\$4,148.14

OPTIONAL HOSE ACCESSORY KIT

Part#	Description	List
KSD010	10' Suction Hose w/strainer & 10' discharge hose	\$195.60

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

PRO-CHEM SERIES



PRO-CHEM SOFT WASH SPRAY SYSTEMS

Pro-Chem Soft Wash Spray Systems are low pressure chemical applicators designed for cleaning roofs, building exteriors, driveways, screen enclosures, wood decks, fences, vinyl siding or any softer surfaces to remove bacteria, molds, mildews, moss, fungus and algae when pressure washing is not feasible. "Totally Self Contained" 100 or 200 gallon tank feed systems with available pressures of 150 or 300 PSI and flow rates of 6 or 10 GPM featuring Honda gasoline engines and gear reduced AR or UDOR diaphragm pumps. All skid frames are constructed of aircraft grade aluminum which is chemical resistant and rustproof.

STANDARD FEATURES

- 100 or 200 gallon poly tank/skid self-contained system
- Lightweight, rustproof modular aluminum skid w/ lifetime warranty
- Durable corrosion resistant aluminum and stainless steel hose reel
- Exclusive Tank-less Clean-N-Flush Valve
- Gear Drive Comet or UDOR ZETA Diaphragm pumps
- Rugged GX200 Honda Commercial Engines


STANDARD ACCESSORIES

- 400' x 3/8" chemical application hose
- Adjustable Spray Gun: Up to 30' Spray distance

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate. UNITS MUST BE FLUSHED IMMEDIATELY AFTER EACH USE.

DIMENSIONS:

100 Gallon Models: 39" W x 65" L x 51" H
200 Gallon Models: 49" W x 65" L x 51" H



SW200-G1003HU

PRO-CHEM SOFT WASH SPRAY SYSTEMS

Part#	Tank Size	GPM	PSI	Model/Brand	Pump	List
SW100-G1003HU	100*	10.0	300	GX 200 Honda	AR	\$9,156.03
SW200-G1003HU	200*	10.0	300	GX 200 Honda	AR	\$9,555.99

*Gallon

514-494-5000 / 1-877-494-5001

HYDRO VACUUM® WASTEWATER & FLOOD RECOVERY VACUUMS



The RGV Gas Vac is an engine powered, water recovery system with pump out. It can be used with either one or two separate pickup devices and is ideal for facilities maintenance contractors who need to collect wash water or for restoration contractors who need to pick up water after a fire or flood.

The unique polyethylene separation tanks are non-corrosive, weigh significantly less than 50 gallon steel drums, and have access to the inside for periodic cleaning & maintenance with a quick lift-off lid. Open the large 1½" valve to purge sludge/solids that settle at the bottom. Each separation tank has an automatic transfer system which pumps the water out to your bulk tank, landscape, or sanitary sewer where permitted, no heavy tipping to dump your tanks.

(For use with cold water or hot water up to 200°F)



Transfer pump plug



Air throttle valve

RGV40: GAS ENGINE DRIVE VACUUM RECOVERY SYSTEM

PART#	DESCRIPTION	WT	LIST
RGV40V12*	25 gpm,425 CFM, 14"Hg, 190" Lift, 627cc Vanguard Elec. Start	535	\$14,473.68
RGV40H12*	25 gpm,425 CFM, 14"Hg, 190" Lift, GX630 Honda Elec. Start	535	\$15,000.00



Using vacuum tools such as a vacuum arch ATP40 or a Twister Vacuum ANTV5 will increase your efficiency

Features

- Vacuum and pump out simultaneously and automatically, no loss of suction or lost time dumping tanks
- 12v Transfer pumps require no outside power, completely self contained
- Recovers up to 25gpm, use up to 350' total hose length – Use with one or two pickup devices
- Air throttling system allows you to independently control the suction for precise control over pickup devices when using varying lengths of hose
- 2 qty. 26 gallon lightweight non-corrosive polyethylene hexagonal separation tanks w/ 1.5" sludge/solids drain & removable Stainless Steel lids
- Easy 1 plug connection for transfer pump power and high water level shutdown
- Debris filters protect pumps and blower motor
- Large 8 gallon fuel tank integrated into frame base while keeping a small footprint
- Requires 2" diameter vacuum hose (350' max.) and 2" diameter discharge hose (100' max.)
- Optional: your choice of vacuum berms, recovery surface cleaners, vacuum accessories, see pages 70, 74 & 75
- Main Unit Dimensions & Weight: 44"L x 26"W x 34" H, 425 lbs., Vacuum Tanks: 25"L x 20" W x 36"H, 54 lbs. each

*NOTE: Max hose length 350', vacuum & discharge hose not included, see Vacuum Options & Accessories Pages 74 & 75, 650cca 24 Group Battery required (not included).



RGV GAS ENGINE VACUUM RECOVERY OPTION

PART#	DESCRIPTION	WT	LIST
ATP36	Solids/Sand Separation Tank	62	\$1,000.00



ATP36

514-494-5000 / 1-877-494-5001

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)

LIMITED WARRANTY

MANUFACTURER'S WARRANTY

All machines are warranted by the manufacturer to be free of defects in materials and workmanship under normal use. The manufacturer's obligation under this warranty shall be limited to the repair of or exchange of any parts that may prove defective subject to normal use. **Repairs must be pre-authorized.** In no event shall the manufacturer be liable for incidental nor consequential damages, freight damages, transportation costs, nor labor charges, which result from any defect in the product or breach of this warranty.

This warranty shall not apply to any part or parts, which have been subjected to accident, negligence, alteration, abuse or misuse. If any defect appears, immediately contact the dealer from which it was purchased. **Returned units or parts must be shipped to the manufacturer prepaid only. A dated sales receipt with the serial number is required for all warranty claims.**

Returned Goods: Goods being returned for credit must be pre-approved with a **Returned Material Authorization number (RMA)** by Pressure Pro and shipped prepaid. All items returned are subject to a minimum restock fee of 15% and a maximum of 35% for special order items.

Heating Coils have a 5 year limited warranty against defect in material and workmanship. 1 year replacement, and 4 additional years prorated. Warranty excludes damage due to freezing, chemical deterioration, scale build up, rust, corrosion, or thermal expansion. Labor and freight excluded.

Aluminum cold water frames have a limited **LIFETIME** warranty against defect in material or workmanship, excluding labor and freight.

PUMP WARRANTY – AR, CAT, GENERAL, UDOR & VIPER PUMPS

Pumps are warranted to the original purchaser for a period specified by manufacturer from the date of purchase.

Warranty covers manufacturing defects or workmanship that may develop under normal use in a manner up to the directions and usage recommended by the manufacturer.

Warranty does not apply to misuse or when pump or accessory is altered or used in excess of recommended speeds, pressures, temperatures or handling fluids not suitable for pump or accessory material construction. Warranty does not apply to normal wear, freight damage, freezing damage or damage caused by parts or accessories not supplied by the manufacturer.

Liability of manufacturer for warranty is limited to repair or replacement at the option of the manufacturer when such products are found to be of original defect or workmanship at the time it was shipped by the factory.

ENGINE WARRANTY

Honda GX – 3 year limited warranty against defects in material and workmanship under normal use. Refer to Honda Owner's Manual or contact your nearest authorized Honda service dealer.

Honda GC – 2 year consumer or 90 day commercial use limited warranty against defects in material or workmanship. Refer to Honda Owner's Manual or contact your nearest authorized Honda service dealer.

Kohler – 3 year limited warranty. Refer to Owner's Manual or contact your nearest authorized Kohler service dealer.

Kohler Diesel – 1 year limited warranty on all components, and 2 years for major components. Refer to Owner's Manual or contact your nearest authorized service dealer.

NOTE: Due to revised (SAE) J1349 net horsepower rating standards on all gasoline powered engines, horsepowers noted in our literature may be subject to modification as determined by engine manufacturer.

ACCESSORIES WARRANTY

Guns, hoses, tips, valves, etc. have a warranty of 90 days. This warranty does not apply to malfunctions caused by fault or negligence or improper use. Labor and freight excluded.

FREIGHT

FOB Ft. Pierce, Florida (UPS, common carrier).

TERMS

Net – 30 (on approved credit).

NOTE: Prices, specifications and models are subject to change without notice. All unit specifications are based on industry standards of plus or minus 10%.

POLICIES

SALES POLICY

Pressure-Pro®, Inc. sells to qualified dealers/distributors who are in the business of reselling pressure washing equipment and providing repair, service, and support.

ORDERS

All "ground freight" parcel orders received prior to 2:30 PM EST will be shipped same day for merchandise in stock. Unless otherwise specified all parcel orders are shipped UPS ground. Next Day, 2nd Day and 3rd day shipments require a 3:30 PM EST deadline. *Additional Shipping Fees Will Apply.* All LTL (Less Than Truckload) shipments will ship at the carrier's standard service level unless expedited service is requested.

PRICING

Our pricing is subject to change without notice. We will make every possible attempt to inform our customers of any price changes at the time that the order is placed.

PAYMENT

We accept company checks, wire transfer, C.O.D., and credit cards (Visa, Master Card, American Express, or Discover). Credit card payment option is only available if paid prior to order shipment date. Cannot be combined with credit terms. 30 day terms are available upon credit approval. There will be a \$35.00 return check fee for insufficient funds. Invoices are considered past due 31 days after invoice date and will incur an interest charge of 1.5% per month. Please call for more information and a credit application.

SHIPPING POLICY

- UPS is our preferred carrier for small parcel shipping (small parts or UPS-able machines under 150 lbs). UPS shipping and handling charges are prepaid and added to customer's invoice. Oversized items (by UPS standards) will incur additional handling charges.
- Less Than Truckload (LTL) shipments are sent F.O.B. factory freight prepaid and add. This gives our customers access to our *extremely* competitive negotiated freight rates. If a specific carrier is requested we will ship F.O.B. factory freight collect by the carrier of your choice.
- All orders will be treated independently for shipping. We will attempt to consolidate orders into a single shipment but if items must ship together they must be on the same purchase order. Orders on credit terms will not be considered for allocation or production scheduling until the credit department releases them.

SHORTAGES AND BACKORDERS

Count the pieces received against the driver's delivery receipt. Note any discrepancies in writing on the delivery receipt. *Be specific:* Identify or describe the missing item. Call your customer service representative immediately with any discrepancies.

FREIGHT DAMAGE CLAIMS

All freight delivered must be inspected for damage and noted on freight bill prior to signing!! Failure to do so will result in your company being liable for the damaged merchandise. Notify the carrier immediately upon delivery of any noticeable damage. We cannot assist you in working out a settlement with the carrier unless they are immediately notified of the damage. If you suspect internal damage **OPEN IMMEDIATELY!** Even if no damaged goods are suspected, open the carton within 24 hours and make a thorough inspection of the products. Hold all damaged goods and their packaging materials for inspection by the carrier.

All Pressure-Pro® freight shipments are shrink-wrapped and strapped to the shipping pallet. If an LTL shipment is not shrink-wrapped and/or strapped, inspect immediately.

PLEASE INSTRUCT YOUR CUSTOMERS OF THIS POLICY AS WELL

DEFECTIVE MERCHANDISE AND WARRANTIES

The liability of Pressure-Pro®, Inc. is limited to the cost of the defective item. All products carry the manufacturer's warranty. The customer will be responsible for labor, and any other expenses connected with warranty repair or replacement. Freight charges are not covered under the warranty policy.

SPECIFICATIONS

Specifications are subject to change without notice. All models and parts meet or exceed PWMA (Pressure Washer Manufacturers Association) standards of +/- 10% variation.

Pressure-Pro®



514-494-5000/1-877-494-5001

*Don't see what you are looking for, give us a call.
We have many specialty and custom items available to meet your needs.*

www.pressure-pro.com

Le prix est à titre indicatif / The price is as an indicator only (CONTACTEZ-NOUS / CONTACT US)